

FEBRUARY/FÉVRIER

ARTICLES

Hiroyoshi Hirai and Takeshi Kamei A combined hardening model of anisotropically consolidated cohesive soils	1
Jerzy Swinianski and Andrzej Sawicki A model of soil-pile interaction owing to cyclic loading	11
Fred J. Griffiths and Ramesh C. Joshi Change in pore size distribution owing to secondary consolidation of clays	20
K. M. Lee and R. K. Rowe An analysis of three-dimensional ground movements: the Thunder Bay tunnel	25
C. Saix Consolidation thermique par chaleur d'un sol non saturé	42
N. Yoshida, N. R. Morgenstern, and D. H. Chan Finite-element analysis of softening effects in fissured, overconsolidated clays and mudstones	51
K. Y. Lo, I. I. Incullet, and K. S. Ho Electroosmotic strengthening of soft sensitive clays	62
K. Y. Lo, K. S. Ho, and I. I. Incullet Field test of electroosmotic strengthening of soft sensitive clay	74
Raymond N. Yong and Sudhakar M. Rao Mechanistic evaluation of mitigation of petroleum hydrocarbon contamination by soil medium	84
Renato Pinto da Cunha and Willy Alvarenga Lacerda Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit	92
C. B. Crawford and R. G. Campanella Comparison of field consolidation with laboratory and <i>in situ</i> tests	103
R. G. Campanella and P. K. Robertson Use and interpretation of a research dilatometer	113
Pierre Morin Amélioration des mesures des propriétés de consolidation au laboratoire à l'aide du montage perméométrique	127
P. T. LaFleche, J. P. Todoeschuck, O. G. Jensen, and A. S. Judge Analysis of ground-probing radar data: predictive deconvolution	134
Muniram Budhu, R. F. Giese, Jr., George Campbell, and Lynn Baumgrass The permeability of soils with organic fluids	140
Vishnu D. Choubey and Shailendra Chaudhari Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study	148

TECHNICAL NOTES / NOTES TECHNIQUES

Brian Cooke Selection of operative centrifuge radius to minimize stress error in calculations	160
R. J. Mitchell Centrifuge modelling as a consulting tool	162

DISCUSSIONS

Jean-Marie Konrad Hibernia geotechnical investigation and site characterization: Discussion	168
G. R. Thompson and L. G. Long Hibernia geotechnical investigation and site characterization: Reply	170
Eulalio Juarez-Badillo Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Discussion	171
Robert P. Chapuis, Denis E. Gill, and Karsten Baass Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Reply	172
M. G. Jefferies and M. P. Davies Soil classification by the cone penetration test: Discussion	173
P. K. Robertson Soil classification using the cone penetration test: Reply	176

Instructions to authors

v

Recommandations aux auteurs

vii

APRIL/AVRIL

ARTICLES

P. J. Kurfurst and S. R. Dallimore Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines	179
P. J. Sattler and D. G. Fredlund Numerical modelling of vertical ground movements in expansive soils	189
M. F. Chang and B. B. Broms Design of bored piles in residual soils based on field-performance data	200
M. F. Chang Interpretation of overconsolidation ratio from <i>in situ</i> tests in Recent clay deposits in Singapore and Malaysia	210
F. Pelli, P. K. Kaiser, and N. R. Morgenstern The influence of near face behaviour on monitoring of deep tunnels	226
F. Pelli, P. K. Kaiser, and N. R. Morgenstern An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel	239

J. H. Atkinson, W. H. W. Lau, and J. J. M. Powell	Measurement of soil strength in simple shear tests	255
Guy Lefebvre, Peter Rosenberg, Jean Paquette, and J. G. Lavallée	The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada	263
Gianni Rossato and Paolo Simonini	Stress-strain behaviour of sands in triaxial and direct simple shear tests	276
C. R. I. Clayton, I. F. Symons, and J. C. Hiedra-Cobo	The pressure of clay backfill against retaining structures	282

TECHNICAL NOTES / NOTES TECHNIQUES

C. B. Crawford, N. R. McCammon, and R. C. Butler	Deep-seated consolidation settlements in the Fraser River delta	298
J.-M. Konrad	<i>In situ</i> tests in a sand dune	304
R. P. Singh, S. Chandra, A. K. Jha, and Y. P. Singh	Computer simulation of crosswell seismic propagation and determination of elastic parameters	309

DISCUSSIONS

G. A. Leonards, R. J. Franz, T. M. Sullivan, and J. C. Levergood	Influence of placement method on the <i>in situ</i> density of hydraulic sand fills: Discussion	316
J. A. Sladen and K. J. Hewitt	Influence of placement method on the <i>in situ</i> density of hydraulic sand fills: Reply	318
Étienne J. Windisch	Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion	320
V. Silvestri, M. Soulié, J. Lafleur, G. Sarkis, and N. Bekkouche	Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply	322
Ashok K. Chugh	Convergence aspect of limit equilibrium methods for slopes: Discussion	323
R. N. Chowdhury and S. Zhang	Convergence aspect of limit equilibrium methods for slopes: Reply	324

JUNE/JUIN

ARTICLES

W. D. Gallant and T. R. C. Aston	Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia	327
R. Kerry Rowe and John B. Booker	Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills	338
Ashraf Ghaly and Adel Hanna	Experimental and theoretical studies on installation torque of screw anchors	353
G. Lefebvre, M. Bozozuk, A. Philibert, and P. Hornych	Evaluating K_0 in Champlain clays with hydraulic fracture tests	365
Raymond N. Yong and Tamara W. Sheremata	Effect of chloride ions on adsorption of cadmium from a landfill leachate	378
Federico Fernandez and Robert M. Quigley	Controlling the destructive effects of clay - organic liquid interactions by application of effective stresses	388
L. B. Smith, J. P. Graham, J. F. Nixon, and A. S. Washuta	Thermal analysis of forced-air and thermosyphon cooling systems for the Inuvik airport expansion	399
M. A. Pritchard and K. W. Savigny	The Heather Hill landslide: an example of a large scale topping failure in a natural slope	410
Zaki A. Baghdadi, Fouad M. Ghazali, and Ahmed M. Khan	Model pile testing in carbonate sediments of the Red Sea	423
Marius Roy, Sylvain Roy et Jean Dubé	Comportement, en chambre triaxiale, d'un pieu à frottement dans l'argile	434

TECHNICAL NOTES / NOTES TECHNIQUES

Festus F. Akindunni, R. W. Gillham, and R. V. Nicholson	Numerical simulations to investigate moisture-retention characteristics in the design of oxygen-limiting covers for reactive mine tailings	446
T. T. Wong, N. R. Morgenstern, and D. C. Sego	Behaviour of broken ice as a geomaterial	451
B. Rajani and N. Morgenstern	On the yield stress of geotechnical materials from the slump test	457

DISCUSSIONS

Michael J. Bovis	Limits to common toppling: Discussion	463
D. M. Cruden	Limits to common toppling: Reply	465
Eulalio Juárez-Badillo	Thirty years of secondary consolidation in sensitive marine clay: Discussion	466
C. B. Crawford and M. Bozozuk	Thirty years of secondary consolidation in sensitive marine clay: Reply	468
J.-C. Roegiers and X. L. Zhao	Determination of the fracture toughness of a saturated soft rock: Discussion	470

BOOK REVIEWS / CRITIQUES DE LIVRES

A. O. Landva	Geotechnology of waste management	472
Jacques Locat	The late Quaternary development of the Champlain Sea Basin	473
P. K. Robertson	Field testing in engineering geology	474

AUGUST/AOÛT

ARTICLES

- Rambabu Tadepalli and D. G. Fredlund** The collapse behavior of a compacted soil during inundation 477
- H. Wijeweera and R. C. Joshi** Creep behavior of fine-grained frozen soils 489
- G. I. Ofoegbu and J. H. Curran** Yielding and damage of intact rock 503
- Thiam-Soon Tan, Teik-Cheong Goh, G. P. Karunaratne, Toshiyuki Inoue, and Seng-Lip Lee** Yield stress measurement by a penetration method 517
- A. Foriero and B. Ladanyi** Generalized finite-element algorithm for laterally loaded piles in permafrost in comparison with measurements 523
- B. Indraratna, P. Nutalaya, K. S. Koo, and N. Kuganenthira** Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill 542
- G. A. Misfeldt, E. Karl Sauer, and E. A. Christiansen** The Hepburn landslide: an interactive slope-stability and seepage analysis 556
- Brahim Benmokrane, Gérard Ballivy, Pedro Hernandez et Pierre-Claude Aitcin** Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord 574
- Philip J. Shaller** Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. 584
- Jean-Marie Konrad** The Nerlerk berm case history: some considerations for the design of hydraulic sand fills 601
- R. N. Yong, A. M. O. Mohamed, and R. G. Tali** Nonlinear stress analysis of muskeg via finite element 613

TECHNICAL NOTE / NOTE TECHNIQUE

- G. E. Barnes** A simplified version of the Bishop and Morgenstern slope-stability charts 630

ERRATUM

- T. Srihar, Peter M. Byrne, and H. H. Vaziri** Erratum: Consolidation analysis of oil sand masses under applied temperature changes 638

OCTOBER/OCTOBRE

ARTICLES

- Allan D. Woodbury, B. Narod, B. Chandra, and J. R. Bennet** Temperature measurements in geotechnical studies using low-noise, high-resolution digital techniques 639
- Vinod K. Garga and Mahbubul A. Khan** Laboratory evaluation of K_0 for overconsolidated clays 650
- M. Soulié, B. N. Touileb, and V. Silvestri** A pseudo-two-dimensional seismic analysis of earth dams 660
- Brahim Benmokrane and Gérard Ballivy** Five-year monitoring of load losses on prestressed cement-grouted rock anchors 668
- Serge Leroueil, Guy Dionne et Michel Allard** Tassement et consolidation au dégel d'un silt argileux à Kangiqsualujuaq 678
- S. Leroueil, J. Tardif, M. Roy, P. La Rochelle, and J.-M. Konrad** Effects of frost on the mechanical behaviour of Champlain Sea clays 690
- M. M. Davachi, B. J. Sinclair, H. H. Hartmaier, B. L. Baggott, and J. E. Peters** Determination of the Oldman River Dam foundation shear strength 698
- Hans Vaziri and Yingcai Han** Full-scale studies of the dynamic response of piles embedded in partially frozen soils 708
- A. S. Imrie** Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. 719
- C. Y. Lee, H. G. Poulos, and T. S. Hull** Effect of seafloor instability on offshore pile foundations 729
- J. F. (Derick) Nixon, R. Saunders, and J. Smith** Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs 738

TECHNICAL NOTES / NOTES TECHNIQUES

- G. N. Nnadi and R. J. Mitchell** Behaviour of cemented sandfills under repeated loadings 746
- R. W. Marcellus and D. N. Heuff** The role that fracture plays during ice failure 752

DISCUSSIONS

- Ashraf Ghaly and Adel Hanna** Performance of piles with enlarged bases subject to uplift forces: Discussion 760
- E. A. Dickinson and C. F. Leung** Performance of piles with enlarged bases subject to uplift forces: Reply 761

DECEMBER/DÉCEMBRE

ARTICLES

- K. Y. Lo and K. S. Ho** The effects of electroosmotic field treatment on the soil properties of a soft sensitive clay 763
- Weiming Liu and Milos Novak** Soil-pile-cap static interaction analysis by finite and infinite elements 771

Lionel C. Wong and Moir D. Haug	Cyclical closed-system freeze-thaw permeability testing of soil liner and cover materials	784
G. J. Kack, M. C. Harris, P. K. Chatterji, D.W. Proudfoot, D. R. Trowsdale, and R. R. Thomas	Use of drainage wicks for an embankment on slickensided clay	794
K. D. Eigenbrod and J. B. Burlak	Effective stress paths and pore-pressure responses during undrained shear along the bedding planes of varved Fort William Clay	804
A. J. Valsangkar and A. B. Schriver	Partial and total factors of safety in anchored sheet pile design	812
Serge Leroueil, Yves Savard et Régis Bouchard	Comportement de la membrane d'argile d'un étang aéré en région froide	818
B. Cooke and R. J. Mitchell	Physical modelling of a dissolved contaminant in an unsaturated sand	829
Carlos Ferregut and Miguel Picornell	Reliability analysis of drilled piers in expansive soils	834
J. F. (Derick) Nixon	Discrete ice lens theory for frost heave in soils	843
D. T. Bergado, R. Shivashankar, C. L. Sampaco, and M. C. Alfaro	Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study	860
T. T. Wong, N. R. Morgenstern, and D. C. Sego	Ice rubble attenuation of ice loads on arctic offshore structures	881
TECHNICAL NOTES / NOTES TECHNIQUES		
Andrew Palmer	Centrifuge modelling of ice and brittle materials	896
G. McCormick	Freezing and thawing indices in northern Canada	899
Étienne J. Windisch	The hydraulics problem in slope stability analysis	903
A. S. Yalcin and G. G. Meyerhof	Bearing capacity of flexible piles under eccentric and inclined loads in layered soil	909
DISCUSSIONS		
Said M. Easa	A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Discussion	918
C. Cherubini	A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Reply	919
BOOK REVIEW / CRITIQUE DE LIVRE		
Christopher P. G. Pereira	Green marine clays	920
ERRATUM		
J. F. (Derick) Nixon, R. Saunders, and J. Smith	Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs	922

Note of appreciation / Note de reconnaissance**Author index for Volume 28 / Index des auteurs pour volume 28****Subject index for Volume 28 / Index des matières pour volume 28****Contents for Volume 28 / Sommaire pour volume 28**

i
AI-1
SI-1
C-1

